

LASER Series 2000

??????????

LASER 2000 ?????????????? 0.05 ? 300 mm????????????????????

??????????

LASER 2000

??



????

- ??????
- CCD ??????????????????????
- ??????
- ???????????????????

????LASER LUMP 2000 T ?????????????? ?????????????????????? sales@sikora.net

LASER 2000 XY ??????

SIKORA ??? LASER 2000 XY ???

????

100 – 240 V AC ± 10 %, 50/60 Hz, 30 VA

????

	LASER 2005 XY	LASER 2010 XY	LASER 2030 XY	LASER 2050 XY	LASER 2100 XY	LASER 2200 XY	LASER 2300 XY
????????	0.05 - 5 mm	0.2 - 10 mm	0.2 - 25 mm	0.5 - 50 mm	1 - 100 mm	5 - 190 mm	50 - 300 mm
????	± 0.25 µm	± 0.5 µm	± 1 µm	± 2.5 µm	± 5 µm	± 10 µm	± 20 µm
????	± 0.1 µm	± 0.1 µm	± 0.2 µm	± 0.5 µm	± 5.0 µm	± 2.0 µm	± 4.0 µm
????	0.2 µsec	0.2 µsec	0.2 µsec	0.2 µsec	0.2 µsec	0.2 µsec	0.2 µsec
????	1,200/??	500/??	500/??	500/??	500/??	500/??	500/??
??????x?x??	140 x 140 x 63 mm	140 x 140 x 63 mm	468 x 285 x 37 mm	468 x 285 x 37 mm	714 x 633 x 55 mm	714 x 633 x 55 mm	920 x 920 x 133 mm

LASER 2000 T ??????

LASER 2000 T

??5????????????????????
 ?????6?????????????????????????????????/?????????????????????????

?????

100 – 240 V AC $\pm$ 10 %, 50/60 Hz, 30 VA

?????

RS485 ???RS232 ????????optional Profibus-DP ??, ??????????????????
CANopen?Ethernet/IP?DeviceNet, OPC UA

	LASER 2010 T	LASER 2025 T	LASER 2050 T	LASER 2100 T
????????	0.2 - 10 mm	0.2 - 25 mm	0.5 - 50 mm	1 - 100 mm
????	± 0.5 µm	± 1 µm	± 2.5 µm	± 5 µm
????	± 0.1 µm	± 0.2 µm	± 0.5 µm	± 1.0 µm
????	0.2 µsec	0.2 µsec	0.2 µsec	0.2 µsec
????	500/?/?	500/?/?	1,000/?/?	500/?/?
???????x?x??	250 x 182 x 62.5 mm	360 x 290 x 38.5 mm	472 x 496 x 41 mm	635 x 621 x 53 mm

LASER 2000 F/R ??????

[illegible]

?????

100 – 240 V AC $\pm$ 10 %, 50/60 Hz, 30 VA

?????

RS485 ???RS232 ????????optional Profibus-DP ??, ??????????????????
CANopen?Ethernet/IP?DeviceNet, OPC UA

LASER 2030 F/R LASER 2050 F/R

???????	0.2 - 25 ?????? 0.5 - 20 mm ???? 0.25 - 10 mm ???? 0.5 - 25 mm????	0.5 - 50 mm????? 1.0 - 50 mm???? 0.5 - 25 mm????
????	???± 1 µm ???± 5 µm	???± 2.5 µm ???± 10.0 µm
????	0.2µsec	0.2µsec
????	500/?/?	500/?/?
??????x?x??	481 x 305 x 36 mm	481 x 350 x 36 mm

LASER 2000 S/R ?????? ?????

LASER 2000 S/R ??? ±15
??

?????

100 – 240 V AC ± 10 %, 50/60 Hz, 30 VA

?????

RS485 ???RS232 ????????optional Profibus-DP ??, ??????????????????
CANopen?Ethernet/IP?DeviceNet, OPC UA

	LASER 2050 S/R	LASER 2100 S/R
???????	1.0 - 35 mm ?????? 0.5 - 50 mm ?????? 1.0 - 100 mm?????	1.0 - 35 mm????? 0.5 - 50 mm????? 1.0 - 100 mm?????
????	± 20 µm ?????? ± 2.5 µm??????	± 20 µm????? ± 5.0 µm ??????
????	± 4.0 µm ?????? ± 0.5 µm??????	± 4.0 µm ?????? ± 1.0 µm ??????
????	0.2µsec	0.2 µsec
????	500/?/?	500/?/?
??????x?x??	435 x 385 x 41 mm	635 x 621 x 93 mm

????

????

Classic and high-end – Online diameter control during wire and cable production